



Kcal = Watt x 0.860
BTU = Watt x 3.413


Watt Δt 60° = Watt Δt 50° x 1,277
 Watt Δt 40° = Watt Δt 50° x 0.741
 Watt Δt 30° = Watt Δt 50° x 0.504
 Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar




[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar



[5]*



Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



*only available with 4 - 6 - 8 - 10 elements.

*disponible uniquement avec 4 - 6 - 8 - 10 éléments.


*nur mit 4 - 6 - 8 - 10 Elementen erhältlich



Kcal = Watt x 0.860
BTU = Watt x 3.413



Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar




[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar



[5]*

Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



*only available with 4 - 6 - 8 - 10 elements.


*disponible uniquement avec 4 - 6 - 8 - 10 éléments.

*nur mit 4 - 6 - 8 - 10 Elementen erhältlich



[H]


Special connection / Raccord spéciale / Speziell Anschluss / Conexión especial



(P* = 234)

[CROM] E12VIR

Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar



Ghisa O

No. el.	H / L	100 • [BASIC]*	150 • [BASIC]*	180 • [BASIC]*	200 • [BASIC]*
4	28,0	442	654	795	897
5	36,0	553	818	994	1 121
6	44,0	664	981	1 193	1 345
7	52,0	774	1 145	1 392	1 569
8	60,0	885	1 308	1 591	1 793
9	68,0	996	1 472	1 790	2 017
10	76,0	1 106	1 635	1 988	2 242
Lt*		0.16	0.25	0.30	0.34
[I]		78 cm	128 cm	158 cm	178 cm

*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont / Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

Art*	H/L	No.el	color
GHO	200	4	B

[BASIC]

ARAG	ARRG	BLMT	BRAG
CRAG	FRAG	GRGR	GRPR
LRAG	MRAG	NRAG	CORT
GRSB	ARES	VRBR	RSCP
BCOR	NEOP	O113	ROAN

Optional



(P* = 232)

Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra


[CROM] E125QR



(P* = 234)


Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático

[CROM] TTR



(P* = 229)


Ø ≤ 16 mm
[CROM] CTR
16 mm < Ø < 24 mm
[CROM] CWR



(L* = 5 cm)

Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[CROM] C5R



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

[CROM] MGH41L
[COLOR] MGH41C

*other colors and finishes on page / autres couleurs et finitions à la page
andere Farben und Ausführungen auf Seite / otros colores y acabados en la página:

art* = item / modèle / Artikel / artículo I* = pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones

Lt* = water content for each element / volume d'eau pour chaque element / Wassergehalt für Element / contenido de agua por cada elemento P* = page / page / Seite / -