


Teso V


DESIGN DANTE O. BENINI & LUCA GONZO



Kcal = Watt x 0.860
BTU = Watt x 3.413


Watt Δt 60° = Watt Δt 50° x 1.286
Watt Δt 40° = Watt Δt 50° x 0.735
Watt Δt 30° = Watt Δt 50° x 0.495
Watt Δt 20° = Watt Δt 50° x 0.283

p max = 5.0 bar




[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar



[H]

Special connection / Raccord spéciale / Speziell Anschluss / Conexión especial



Teso V

H cm	L cm	l* cm	art*	Lt*	watt Δt 30°	watt Δt 50°	• [BASIC]	• [COLOR]
150.0	25.0	5.0	TSV150001	1.1	192	388		
150.0	50.3	30.3	TSV150002	2.3	384	776		
150.0	75.6	55.6	TSV150003	3.5	576	1 164		
170.0	25.0	5.0	TSV170001	1.2	213	431		
170.0	50.3	30.3	TSV170002	2.5	427	862		
170.0	75.6	55.6	TSV170003	3.9	640	1 293		
200.0	25.0	5.0	TSV200001	1.4	251	507		
200.0	50.3	30.3	TSV200002	2.9	502	1 014		
200.0	75.6	55.6	TSV200003	4.4	753	1 521		

[BASIC]

BCOR

NEOP

Optional




Reverse Valve
 Vanne reverse
 Reverse Ventil
 Válvula a escuadra inversa

[CROM] **E12RVR**




Thermostatic head
 Tête thermostatique
 Thermostatkopf
 Cabezal termostático

[CROM] **TTR**



Sleeving kit
 Kit couvre tuyau
 Rosetten
 Kit cubre tubo

[CROM] **C5R**



$\varnothing \leq 16$ mm
 [CROM] **CTR**

$16 \text{ mm} < \varnothing < 24 \text{ mm}$
 [CROM] **CWR**

*other colors and finishes on page / autres couleurs et finitions à la page
 andere Farben und Ausführungen auf Seite / otros colores y acabados en la página:



Towel bar
 Porte-serviettes
 Handtuchhalter
 Porta toallas


Teso 1
 [CROM] INCLUDED
 [COLOR] **STC1**
 [GOLD] **STG1**

Teso 2
 [CROM] INCLUDED
 [COLOR] **STC2**
 [GOLD] **STG2**

Teso 3
 [CROM] INCLUDED
 [COLOR] **STC3**
 [GOLD] **STG3**

Teso O

DESIGN DANTE O. BENINI & LUCA GONZO



$$\text{Kcal} = \text{Watt} \times 0.860$$

$$\text{BTU} = \text{Watt} \times 3.413$$



$$\text{Watt } \Delta t 60^\circ = \text{Watt } \Delta t 50^\circ \times 1.252$$

$$\text{Watt } \Delta t 40^\circ = \text{Watt } \Delta t 50^\circ \times 0.759$$

$$\text{Watt } \Delta t 30^\circ = \text{Watt } \Delta t 50^\circ \times 0.532$$


$$\text{Watt } \Delta t 20^\circ = \text{Watt } \Delta t 50^\circ \times 0.323$$

p max = 6.5 bar




[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar



[H]

Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar
[CROM] E12VIR

Teso O

H cm	L cm	I* cm	art*	Lt*	watt Δt 30°	watt Δt 50°	• [BASIC] • [COLOR]
25.0	150.0	5.0	TSO150001	1.1	182	343	
50.3	150.0	30.3	TSO150002	2.3	365	687	
75.6	150.0	55.6	TSO150003	3.5	548	1 030	
25.0	170.0	5.0	TSO170001	1.2	207	390	
50.3	170.0	30.3	TSO170002	2.5	415	781	
75.6	170.0	55.6	TSO170003	3.9	623	1 171	
25.0	200.0	5.0	TSO200001	1.4	244	459	
50.3	200.0	30.3	TSO200002	2.9	488	918	
75.6	200.0	55.6	TSO200003	4.4	733	1 377	

[BASIC]

BCOR

NEOP

Optional



(P* = 232)

Reverse Valve
Vanne reverse
Reverse Ventil
Válvula a escuadra inversa

[CROM] **E12RVR**



(P* = 234)

Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar


[CROM] **E12VIR**



(P* = 234)

Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático


[CROM] **TTR**



(I* = 5 cm)

Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo

[CROM] **C5R**



(P* = 229)

$\varnothing \leq 16$ mm
[CROM] **CTR**

$16 \text{ mm} < \varnothing < 24 \text{ mm}$
[CROM] **CWR**

*other colors and finishes on page / autres couleurs et finitions à la page
andere Farben und Ausführungen auf Seite / otros colores y acabados en la página:



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

Teso 1
[CROM] INCLUDED
[COLOR] **STC1**
[GOLD] **STG1**

Teso 2
[CROM] INCLUDED
[COLOR] **STC2**
[GOLD] **STG2**

Teso 3
[CROM] INCLUDED
[COLOR] **STC3**
[GOLD] **STG3**